

業績リスト

2008年10月19日

大阪大学 大学院医学系研究科
医用工学講座 画像解析学
(兼任)大阪大学 大学院情報科学研究科
コンピュータサイエンス専攻

准教授 佐藤 嘉伸

1. 学術論文誌

(英文)

- 1.1. Kim E, Wu J, Tamura S, **Sato Y**, Close R, Taketani H, Kawai H, Inoue M, and Ono K: Comparison of neural network and k -NN classification methods in vowel and patellar subluxation image recognitions, *International Journal of Pattern Recognition and Artificial Intelligence*, 7(4): 775-782, 1993.
- 1.2. Tamura S, Kim E, Close R, **Sato Y**: Error correction in laser scanner three-dimensional measurement by two-axis model and coarse-fine parameter search, *Pattern Recognition*, 27(3): 331-338, 1994.
- 1.3. Zoroofi R.A, **Sato Y**, Tamura S, Naito H, Tang L: An improved method for MRI artifact correction due to translational motion in the imaging plane, *IEEE Transactions on Medical Imaging*, 14(3): 471-479, 1995.
- 1.4. Mahzoun M.R, Okazaki K, Mitsumoto H, Kawai H, **Sato Y**, Tamura S, Kani K: Detection and complement of hexagonal borders in corneal endothelial cell image, *Medical Imaging Technology*, 14(1): 56-69, 1996.
- 1.5. Zoroofi R.A, **Sato Y**, Tamura S, and Naito H: Reduction of MRI artifact due to rotational motion in the image plane, *Medical Imaging Technology*, 14(3): 259-268, 1996.
- 1.6. **Sato Y** and Tamura S: Detecting planar and curved symmetries of 3D shapes from a range image, *Computer Vision and Image Understanding*, 64(1): 175-187, 1996.
- 1.7. Zoroofi R.A, **Sato Y**, Tamura S, and Naito H: MRI artifact cancellation due to rigid motion in the imaging plane, *IEEE Transactions on Medical Imaging*, 15(6): 768-784, 1996.
- 1.8. Nogawa H, Nakajima Y, **Sato Y**, and Tamura S: Acquisition of symbolic description from flow fields A new approach based on a fluid model, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(1): 58-63, 1997.
- 1.9. Zoroofi R.A, **Sato Y**, Tamura S, and Naito H: Reduction of MRI artifact due to planar respiratory motion, *Medical Imaging Technology*, 15(1): 63-72, 1997.
- 1.10. **Sato Y**, Moriyama M, Hanayama M, Naito H, and Tamura S: Acquiring 3D models of non-rigid

moving objects from time and viewpoint varying image sequences: A step toward left ventricle recovery, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(3): 253-259, 1997.

- 1.11. **Sato Y**, Chen J, Zoroofi R.A, Harada N, Tamura S, and Shiga T: Automatic extraction and measurement of leukocyte motion in microvessels using spatiotemporal image analysis, *IEEE Transactions on Biomedical Engineering*, 44(4): 225-236, 1997.
- 1.12. Tang L, Ohya M, **Sato Y**, Naito H, Harada K, and Tamura S: Cancellation of motion artifact in MRI due to 2-D rigid translational motion, *Computers in Biology and Medicine*, 27(3): 211-222, 1997.
- 1.13. **Sato Y**, Araki T, Hanayama M, Naito H, and Tamura S: A viewpoint determination system for stenosis diagnosis and quantification in coronary angiographic image acquisition, *IEEE Transactions on Medical Imaging*, 17(1): 121-137, 1998.
- 1.14. Otawa H, Kawai H, **Sato Y**, Tamura S, Yanagida M, and Mitsumoto H: Visualization of untrained target shape and distance using a multi-element ultrasound transducer and neural network, *Applied Acoustics*, 54(3): 255-272, 1998.
- 1.15. Terashima M, Naito H, **Sato Y**, Tamura S, and Kurosawa T: A method to quantitate regional wall motion in left ventriculography using Hildreth algorithm, *Japanese Journal of Medical Imaging*, 17(1): 14-24, 1998.
- 1.16. **Sato Y**, Nakajima S, Shiraga N, Atsumi H, Yoshida S, Koller T, Gerig G, and Kikinis R: Three-dimensional multi-scale line filter for segmentation and visualization of curvilinear structures in medical images, *Medical Image Analysis*, 2(2): 143-168, 1998.
- 1.17. **Sato Y**, Nakamoto M, Tamaki Y, Sasama T, Sakita I, Nakajima Y, Monden M, and Tamura S: Image guidance of breast cancer surgery using 3D ultrasound images and augmented reality visualization, *IEEE Transactions on Medical Imaging*, 17(5): 681-693, 1998.
- 1.18. Zoroofi R.A, Ogata Y, Taketani H, **Sato Y**, Tamura S, Inamoto K, and Shimojo S: Single-exposure low-dose X-ray imaging with grid-less and grid (GLG) imaging plates: a Kalman-filter approach, *Medical Imaging Technology*, 16(6): 667-679, 1998.
- 1.19. **Sato Y**, Shiraga N, Nakajima S, Tamura S, and Kikinis R: Local maximum intensity projection (LMIP): A new rendering method for vascular visualization, *Journal of Computer Assisted Tomography*, 22(6): 912-917, 1998.
- 1.20. Nakajima S, Yoshimine T, Wakita S, **Sato Y**, Hata N, Yamada M, Fujiwara M, Tamura S, Kato A, and Hayakawa T: Scalp localization using a simple algorithm, *Neurological Research*, 20(8): 751-753, 1998.
- 1.21. Kai J, Shiomi H, Sasama T, **Sato Y**, Inoue T, Tamura S. and Inoue T: An optical high-precision 3D position measurement system suitable for head motion tracking in frameless stereotactic radiosurgery, *Computer Aided Surgery*, 3(5): 257-263, 1998.
- 1.22. Zoroofi R.A, **Sato Y**, Tamura S, Naito H, Shimojo S, and Nakamura H: Reduction of MRI artifact due to 3-D rigid motion, *Medical Imaging Technology*, 17(1): 69-79, 1999.
- 1.23. Mizuno-Matsumoto Y, Okazaki K, Kato A, Yoshimine T, **Sato Y**, Tamura S, and Hayakawa T: Visualization of epileptogenic phenomena using crosscorrelation analysis: localization of epileptic

foci and propagation of epileptiform discharges, *IEEE Transactions on Biomedical Engineering*, 46(3): 271-279, 1999.

- 1.24. Kai J, Shiomi H, Sasama T, **Sato Y**, Inoue Ta, Tamura S, and Inoue To: A 3D optical head motion measurement system and its application in stereotactic radiosurgery, *Medical Imaging Technology*, 17(2): 155-164, 1999.
- 1.25. Chen J, **Sato Y**, and Tamura S: Detection and segmentation of intersection and branch structures in medical images using orientation space, *Medical Imaging Technology*, 17(3): 229-244, 1999.
- 1.26. Tamaki Y, **Sato Y**, Nakamoto M, Sasama T, Sakita I, Sekimoto M, Ohue M, Tomita N, Tamura S, and Monden M: Intraoperative navigation for breast cancer surgery using 3D-ultrasound images, *Computer Aided Surgery*, 4(1): 37-44, 1999.
- 1.27. Yamamoto S, Nakajima Y, Tamura S, **Sato Y**, and Harino S: Extraction of fluorescent dot traces from a scanning laser ophthalmoscope image sequence by spatio-temporal image analysis: Gabor filter and Radon transform filtering, *IEEE Transactions on Biomedical Engineering*, 46(11): 1357-1363, 1999.
- 1.28. Chen J, **Sato Y**, and Tamura S: Orientation space filtering for multiple orientation line segmentation, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(5): 417-429, 2000.
- 1.29. Mizuno-Matsumoto Y, Date S, Tabuchi Y, Tamura S, **Sato Y**, Zoroofi RA, Shimojo S, Kadobayashi Y, Tatsumi H, Nogawa H, Shinosaki K, Takada M, Inouye T, and Miyahara H: Telemedicine for evaluation of brain function by a metacomputer, *IEEE Transactions on Information Technology in Biomedicine*, 4(2): 165-172 2000.
- 1.30. **Sato Y**, Westin C-F, Bhalerao A, Nakajima S, Shiraga N, Tamura S, and Kikinis R: Tissue classification based on 3D local intensity structures for volume rendering, *IEEE Transactions on Visualization and Computer Graphics*, 6(2): 160-180, 2000.
- 1.31. Zoroofi RA, Taketani H, Tamura S, **Sato Y**, and Sekiya K: Automated inspection of IC wafer contamination, *Pattern Recognition*, 34(6): 1307-1317, 2001.
- 1.32. Zoroofi R, Nishii T, **Sato Y**, Sugano N, Yoshikawa H, and Tamura S: Segmentation of avascular necrosis of the femoral head using 3-D MR images, *Computerized Medical Imaging and Graphics*, 25(6): 511-521, 2001.
- 1.33. Sugano N, Sasama T, **Sato Y**, Nakajima Y, Nishii T, Yonenobu K, Tamura S, and Ochi T: Accuracy evaluation of surface-based registration methods in a computer navigation system for hip surgery performed through a posterolateral approach, *Computer Aided Surgery*, 6(4): 195-203, 2001.
- 1.34. Nakanishi K, Tanaka H, Sugano N, **Sato Y**, Ueguchi T, Kubota T, Tamura S, Nakamura H: MR-based three-dimensional presentation of cartilage thickness in the femoral head, *European Radiology*, 11(11): 2178-2183, 2001.
- 1.35. Nishii T, Sugano N, Ohzono K, Sakai T, **Sato Y**, Yoshikawa H: Significance of lesion size and location in the prediction of collapse of osteonecrosis of the femoral head: a new three-dimensional quantification using magnetic resonance imaging. *Journal of Orthopaedic Research*, 20(1):130-136, 2002.

- 1.36. Moriyama M, **Sato Y**, Naito H, Hanayama M, Ueguchi T, Harada T, Yoshimoto F, Tamura S: Timevarying 3D left ventricular shape from multiview X-ray cineangiograms, *IEEE Transactions on Medical Imaging*, 21(7), 773-785, 2002.
- 1.37. Tamura S, Hirano M, Chen X, **Sato Y**, Narumi Y, Hori M, Takahashi S, and Nakamura H: Intrabody three-dimensional position sensor for an ultrasound endoscope, *IEEE Transactions on Biomedical Engineering*, 49(10), 1187-1194, 2002.
- 1.38. Tamaki Y, Akashi-Tanaka S, Ishida T, Uematsu, T, Kusama M, Sawai Y, Nakamura S, Hisamatsu K, Tanji Y, **Sato Y**, and Matsuura N: 3D imaging of intraductal spread of breast cancer and its clinical application for navigation surgery *Breast Cancer*, 9(4), 289-295, 2002.
- 1.39. Moritomo H, Goto A, **Sato Y**, Sugamoto T, Murase T, Yoshikawa H: The Triquetrum-hamate joint: an anatomic and in vivo three-dimensional kinematic study, *Journal of Hand Surgery (American Volume)*, 28(5), 797-805, 2003.
- 1.40. **Sato Y**, Tanaka H, Nishii T, Nakanishi K, Sugano N, Kubota T, Nakamura H, Yoshikawa H, Ochi T, and Tamura S: Limits on the accuracy of 3D thickness measurement in magnetic resonance images — Effects of voxel anisotropy —, *IEEE Transactions on Medical Imaging*, 22(9), 1076-1088, 2003.
- 1.41. Masumoto J, **Sato Y**, Hori M, Murakami T, Johkoh T, Nakamura H, Tamura S: A similarity measure for nonrigid volume registration using known joint distribution of target tissue: Application to dynamic CT data of the liver, *Medical Image Analysis*, 7(4), 553-564, 2003.
- 1.42. Zoroofi RA, **Sato Y**, Sasama T, Nishii T, Sugano N, Yonenobu K, Yoshikawa H, Ochi T, and Tamura S: Automated segmentation of acetabulum and femoral head from 3D CT images, *IEEE Transactions on Information Technology in Biomedicine*, 7(4):329-343, 2003.
- 1.43. Kawasaki Y, Ino F, Mizutani Y, Fujimoto N, Sasama T, **Sato Y**, Sugano N, Tamura S, and Hagihara, K: High-performance computing service over the Internet for intraoperative image processing, *IEEE Transactions on Information Technology in Biomedicine*, 8(1):36-46, 2004.
- 1.44. Zoroofi RA, **Sato Y**, Nishii T, Sugano N, Yoshikawa H, Tamura S: Automated segmentation of necrotic femoral head from 3D MR data, *Computerized Medical Imaging and Graphics*, 28(5):267-78, 2004.
- 1.45. Nishii T, Sugano N, **Sato Y**, Tanaka H, Miki H, Yoshikawa H: Three-dimensional distribution of acetabular cartilage thickness in patients with hip dysplasia: a fully automated computational analysis of MR imaging. *Osteoarthritis Cartilage*, 12(8):650-657, 2004.
- 1.46. Yamaguchi T, Nakamoto M, **Sato Y**, Konishi K, Hashizume M, Sugano N, Yoshikawa H, Tamura S: Development of a camera model and calibration procedure for oblique-viewing endoscopes, *Computer Aided Surgery*, 9(5):203-214, 2004.
- 1.47. Ishii T, Mukai Y, Hosono N, Sakaura H, Nakajima Y, **Sato Y**, Sugamoto K, Yoshikawa, H: Kinematics of the upper cervical spine in rotation: in vivo three-dimensional analysis. *Spine*, 29(7), E139-144, 2004
- 1.48. Goto A, Moritomo H, Murase T, Oka K, Sugamoto K, Arimura T, Nakajima Y, Yamazaki T, **Sato Y**,

- Tamura S, Yoshikawa H, and Ochi T, In vivo elbow biomechanical analysis during flexion: threedimensional motion analysis using magnetic resonance imaging, *Journal of Shoulder and Elbow Surgery*, 13(4), 441-447, 2004.
- 1.49. Itohara T, Sugamoto K, Shimizu N, Ohno I, Tanaka H, Nakajima Y, **Sato Y**, Yoshikawa H: Assessment of talus deformity by three-dimensional MRI in congenital clubfoot, *European Journal of Radiology* 53(1):78-83, 2005.
- 1.50. Inoue T, Tamaki Y, Hamada S, Yamamoto S, **Sato Y**, Tamura S, Kim SJ, Tanji Y, Miyoshi Y, Taguchi T, Noguchi S: Usefulness of three-dimensional multidetector-row CT images for preoperative evaluation of tumor extension in primary breast cancer patients, *Breast Cancer Research and Treatment*, 89(2):119-125, 2005.
- 1.51. Inoue T, Tamaki Y, **Sato Y**, Nakamoto M, Tamura S, Tanji Y, Taguchi T, Noguchi S, Three dimensional ultrasound imaging of breast cancer by a real-time intraoperative navigation system, *Breast Cancer*, 12(2):122-129, 2005.
- 1.52. Tamura Y, Sugano N, Sasama T, **Sato Y**, Tamura S, Yonenobu K, Yoshikawa H, Ochi T: Surface-based registration accuracy of CT-based image-guided spine surgery, *European Spine Journal*, 14(3):291-297, 2005.
- 1.53. Takao M, Sugano N, Tanaka H, Nishii T, Masumoto J, Miki H, **Sato Y**, Tamura S, Yoshikawa H: Application of 3D-MR image registration to monitoring hip joint diseases, *Magnetic Resonance Imaging*, 23(5):665-670, 2005.
- 1.54. Takao M, Sugano N, Nishii T, Miki H, Koyama T, Masumoto J, **Sato Y**, Tamura S, Yoshikawa H: Application of 3D-MR image registration to monitor diseases around the knee joint, *Journal of Magnetic Resonance Imaging*, 22(5):656-660, 2005.
- 1.55. Itohara T, Sugamoto K, Shimizu N, Ohno I, Tanaka H, Nakajima Y, **Sato Y**, Yoshikawa H: Assessment of the three-dimensional relationship of the ossific nuclei and cartilaginous anlagen in congenital clubfoot by 3-D MRI, *Journal of Orthopaedic Research* 23(5):1160-1164, 2005.
- 1.56. Ino F, Kawasaki Y, Tashiro T, Nakajima Y, **Sato Y**, Tamura S: A parallel implementation of 2-D/3-D image registration for computer-assisted surgery, *International Journal of Bioinformatics Research and Applications*, 2(4): 341-358, 2006.
- 1.57. Kuwabara M, Narumi Y, Takahashi S, **Sato Y**, Kim T, Murakami T, and Nakamura H: Noninvasive method using multidetector CT for calculating the relative blood supply ratio of duplicated renal arteries in renal donors, *Radiation Medicine*, 24(3): 195-201, 2006.
- 1.58. Takao M, Sugano N, Nishii T, Miki H, **Sato Y**, Tamura S, and Yoshikawa H: Longitudinal quantitative evaluation of lesion size change in femoral head osteonecrosis using three-dimensional magnetic resonance imaging and image registration, *Journal of Orthopaedic Research*, 24(6): 1231-1239, 2006.
- 1.59. Koyama T, Sugano N, Nishii T, Miki H, **Sato Y**, Yoshikawa H, and Tamura S: Computer-assisted spherical osteotomy with a curved-bladed Tuke Saw®, *Computer Aided Surgery*, 11(4): 202-208, 2006.

- 1.60. Kawasaki Y, Ino F, **Sato Y**, Tamura S, and Hagihara K: Parallel adaptive estimation of hip range of motion for total hip replacement surgery, *IEICE Transactions on Information and Systems*, E90-D(1): 30-39, 2007.
- 1.61. Cheng Y, **Sato Y**, Tanaka H, Nishii T, Sugano N, Nakamura H, Yoshikawa H, Wang S, and Tamura S: Accurate thickness measurement of two adjacent sheet structures in CT images, *IEICE Transactions on Information and Systems*, E90-D(1): 271-282, 2007.
- 1.62. Sugano N, Nishii T, Miki H, Yoshikawa H, **Sato Y**, and Tamura S: Mid-term results of cementless total hip replacement using a ceramic-on-ceramic bearing with and without computer navigation, *Journal of Bone and Joint Surgery – British*, 89-B(4): 455-460, 2007.
- 1.63. Konishi K, Nakamoto M, Kakeji Y, Tanoue K, Kawanaka H, Yamaguchi S, Ieiri S, **Sato Y**, Maehara Y, Tamura S, and Hashizume M: A real-time navigation system for laparoscopic surgery based on three-dimensional ultrasound using magneto-optic hybrid tracking configuration, *International Journal of Computer Assisted Radiology and Surgery*, 2(1): 1-10, 2007.
- 1.64. Iwashita Y, Kurazume R, Konishi K, Nakamoto M, Aburaya N, **Sato Y**, Hashizume M, Hasegawa T: Fast model-image registration using a two-dimensional distance map for surgical navigation system, *Advanced Robotics*, 21(7): 751-770, 2007.
- 1.65. Nakamoto M, Hirayama H, **Sato Y**, Konishi K, Kakeji Y, Hashizume M, and Tamura S: Recovery of respiratory motion and deformation of the liver using laparoscopic freehand 3D ultrasound system, *Medical Image Analysis*, 11(5): 429-442, 2007.
- 1.66. Miki H, Yamanashi W, Nishii T, **Sato Y**, Yoshikawa H, and Sugano N: Anatomic hip range of motion after implantation during total hip arthroplasty as measured by a navigation system, *The Journal of Arthroplasty*, 22(7): 946-952, 2007.
- 1.67. Nakamoto M, Nakada K, **Sato Y**, Konishi K, Hashizume M, Tamura S: Intraoperative magnetic tracker calibration using a magneto-optic hybrid tracker for 3D ultrasound-based navigation in laparoscopic surgery, *IEEE Transactions on Medical Imaging*, 27(2):255-270, 2008.
- 1.68. Otomaru I, Nakamoto M, Takao M, Sugano N, Kagiya Y, Yoshikawa H, Tada Y, **Sato Y**, Automated preoperative planning of femoral component for total hip arthroplasty (THA) from CT images, *Journal of Biomechanical Science and Engineering*, 3(4): 478-489, 2008.
- 1.69. Okada T, Iwasaki Y, Koyama T, Sugano N, Chen YW, Yonenobu K, **Sato Y**: Computer-assisted preoperative planning of proximal femur fracture using 3-D CT data, *IEEE Transactions on Biomedical Engineering*, in press.
- 1.70. Okada T, Shimada R, Hori M, Nakamoto M, Chen YW, Nakamura H, **Sato Y**: Automated segmentation of the liver from 3D CT images using probabilistic atlas and multi-level statistical shape model, *Academic Radiology*, in press.
- 1.71. Kurazume R, Nakamura K, Okada T, **Sato Y**, Sugano N, Koyama T, Iwashita Y, Hasegawa T: 3D reconstruction of a femoral shape using a parametric model and two 2D fluoroscopic images, *Computer Vision and Image Understanding*, in press.

(和文)

- 1.72. 佐藤, 河合, 田村: CCD撮像素子を用いたマルチスペクトル画像入力装置, 画像電子学会誌, 14(2): 112-120, 1985.
- 1.73. 佐藤, 田村: カスケードガウスフィルタの設計法, 電子情報通信学会論文誌(D), J70-D(10): 1911-1920, 1987.
- 1.74. 佐藤, 粟屋, 田村: 両眼立体視のエネルギー最小化アプローチ: 複数の交錯する表面の知覚, 電子情報通信学会論文誌(D), J71-D(2): 315-326, 1988.
- 1.75. 佐藤, 田村: パラメータ化モデルを用いた3次元物体認識: Hopfield モデルによる並列探索アプローチ, 情報処理学会論文誌, 31(1): 56-67, 1990.
- 1.76. 田村, 久保, 浅川, 金, 佐藤, 郡司, 稲林, 中川: レーザスキャナ3次元計測における誤差補正と多方向データの統合, テレビジョン学会誌, 47(3): 371-379, 1993.
- 1.77. 佐藤, 大谷, 石井: 3次元形状の軸表現: Smoothed Local Generalized Cones, 電子情報通信学会論文誌(D-II), J76-DII(8): 1612-1623, 1993.
- 1.78. 佐藤, 大谷, 石井: 距離画像からの3次元形状の階層的パーツ構造の復元, 電子情報通信学会論文誌(D-II), J76-DII(8): 1624-1636, 1993.
- 1.79. 佐藤, 大谷: 2.5次元画像からの面对称性の検出, 電子情報通信学会論文誌(D-II), J76-DII(11): 2444-2447, 1993.
- 1.80. 唐, 大矢, 佐藤, 田村, 内藤, 原田, 小塚: 位相エンコーディング方向の体動によるMRIアーチファクトの除去, 電子情報通信学会論文誌(D-II), J77-DII(5): 1009-1017, 1994.
- 1.81. 唐, 大矢, 佐藤, 田村, 内藤, 原田, 小塚: MRIにおける撮像断面内の平行移動によるアーチファクトの除去, *Medical Imaging Technology*, 12(3): 231-240, 1994.
- 1.82. 大多和, 河合, 佐藤, 田村, 光本, 柳田: ニューラルネットワークと多素子超音波トランジューサによる水中物体の画像化, *Medical Imaging Technology*, 13(5): 753-761, 1995.
- 1.83. 陳, 佐藤, 田村, 原田, 志賀: 白血球運動計測のための微小血管に沿う時空間画像の自動生成—Snakeによる空間軸の精密位置決定—, *Medical Imaging Technology*, 14(1): 38-49, 1996.
- 1.84. 大多和, 河合, 佐藤, 田村, 光本, 柳田: ニューラルネットワークと多素子超音波トランジューサによる水中物体の3次元画像化, *Medical Imaging Technology*, 14(5): 561-570, 1996.
- 1.85. 寺島, 内藤, 黒沢, 佐藤, 田村: 左室局所壁運動定量評価のための各種アルゴリズムの精度検証—心筋タギングシネMR法を用いた検討—, 日本医学放射線学会雑誌, 56(11): 720-725, 1996.
- 1.86. 中島, 野川, 佐藤, 田村, 内藤, 武本: X線DSA画像からの血流速度場推定と特徴抽出, 電子情報通信学会論文誌(D-II), J80-D-II(1): 306-316, 1997.
- 1.87. 水野, 岡崎, 加藤, 吉峰, 佐藤, 田村, 山下: 皮質脳波の位相差解析によるてんかん焦点の同定および発作波伝播の可視化, 脳と神経, 49(1): 59-64, 1997.
- 1.88. 中島, 西井, 佐藤, 田村: 整形外科手術支援システム—寛骨臼回転骨切り術—, *Medical Imaging Technology*, 15(2): 87-94, 1997.
- 1.89. 窪田, 西井, 佐藤, 中西, 田村: “多方向MR画像からの股関節軟骨の3次元形状復元”, 電子情報通信学会論文誌(D-II), J80-D-II(2): 669-677, 1997.
- 1.90. 森山, 佐藤, 花山, 上口, 内藤, 田村, 吉本: 視点移動を伴うX線シネ心臓造影画像からの左心室

3次元動形状の再構成, 電子情報通信学会論文誌(D-II), J81-D-II(1): 174-183, 1998.

- 1.91. 中島, 猪股, 野川, 佐藤, 田村, 岡崎, 鳥井: 物理モデルに基づく流体の速度場推定手法, 電子情報通信学会論文誌(D-II), J81-D-II(4): 602-610, 1998.
- 1.92. 森山, 佐藤, 花山, 上口, 内藤, 田村, 吉本: 多視点X線シネ心臓造影画像からの左心室形状の3次元再構成—臨床への実用化に向けたシステムの構築—, *Medical Imaging Technology*, 16(3): 215-224, 1998.
- 1.93. 陳, 田村, 姜, 内藤, 大多和, 河合, 佐藤: 体外マーカーを用いた超音波内視鏡の体内3次元位置決め方式, *Medical Imaging Technology*, 16(5): 569-577, 1998.
- 1.94. 小懸, 橋爪, 稲本, 瀧川, R.A. Zoroofi, 佐藤, 田村: CRを用いた新しい散乱X線除去法, 日本写真学会誌, 61(4): 212-220, 1998.
- 1.95. 中本, 佐藤, 玉木, 笹間, 先田, 中島, 田村, 門田: 3次元超音波画像を用いた乳癌手術支援システム, *Medical Imaging Technology*, 16(6): 644-653, 1998.
- 1.96. 三小田, 井村, 増山, 佐藤, 田村: ニューラルネットワークによる図形の回転正規化, 映像情報メディア学会誌, 52(11): 1713-1723, 1998.
- 1.97. 澤田, 佐藤, 木戸, 田村: 胸部X線画像における肺腫瘍陰影の検出—多重解像度フィルタ, エネルギー差分画像の利用と性能分析—, *Medical Imaging Technology*, 17(1): 81-91, 1999.
- 1.98. 金, 岡崎, 佐藤, 田村: エッジ画像のボカし処理によるパラメトリック固有空間での3次元物体姿勢推定, 電気学会論文集(C), 119-C(2): 169-174, 1999.
- 1.99. 窪田, 佐藤, 中西, 田中, 菅野, 西井, 大園, 越智, 中村, 田村: MR画像からの股関節軟骨3次元形状の可視化, *Medical Imaging Technology*, 17(5): 563-576, 1999.
- 1.100. 中島, 佐藤, 内藤, 田村, 森口, 有澤: 心臓の超音波診断における画像面の位置表示システム, *Medical Imaging Technology*, 17(5): 585-591, 1999.
- 1.101. 山本, 佐藤, 中島, 田村, 劉, 張野: 時空間画像のハフ変換による走査型レーザ蛍光眼底造影画像からの過蛍光点軌跡抽出, *Medical Imaging Technology*, 17(6): 690-696, 1999.
- 1.102. 田中, 山口, ゴロフィ, 小懸, 佐藤, 内藤, 田村: 異種劣化画像からのマルコフ確率場モデルによる復元—グリッドなし及びグリッド付きの従属接続によるX線撮影モデルへの適用—, 電子情報通信学会論文誌(D-II), J83-D-II(1): 89-100, 2000.
- 1.103. 榎本, 堀, 佐藤, 村上, 上甲, 中村, 田村: X線CT画像からの肝腫瘍自動抽出の検討, 電子情報通信学会論文誌(D-II), J83-D-II(1): 219-227, 2000.
- 1.104. 余田, 土屋, 佐藤, 田村, 久保, 田村: 局所麻酔下における内視鏡下副鼻腔手術ナビゲーションのための頭部レジストレーション法とその精度評価, 電子情報通信学会論文誌(D-II), J83-D-II(1): 369-377, 2000.
- 1.105. 笹間, 仲程, 佐藤, 菅野, 西井, 大園, 越智, 田村: 股関節手術ナビゲーションのための表面モデルに基づくレジストレーションの精度評価, 電子情報通信学会論文誌(D-II), J83-D-II(1): 378-386, 2000.
- 1.106. 中本, 佐藤, 玉木, 永野, 泊, 笹間, 門田, 田村: 手術ナビゲーションにおける光磁気ハイブリッド3次元センサの構築, 電子情報通信学会論文誌(D-II), J83-D-II(1): 396-403, 2000.
- 1.107. 伊達, 水野, 田村, 佐藤, ゴルフィ, 田淵, 下條, 門林, 辰巳, 野川, 篠崎, 武田, 井上, 宮原:

脳磁計(MEG) 用広域分散コンピューティング環境, *Medical Imaging Technology*, 18(1): 47-60, 2000.

- 1.108. 水野, 田村, 佐藤, ゾルフィ, 伊達, 田淵, 篠崎, 鶴飼, 石井, 井上, 辰巳, 門林, 下條, 武田, 宮原: 脳磁図におけるウェーブレット相互相関解析法を用いたてんかん性異常波伝播解析, *Medical Imaging Technology*, 18(1): 61-70, 2000.
- 1.109. 朴, 北岡, 佐藤, 上甲, 中村, 田村: CT 画像からの肋骨呼吸3次元運動の解析電子情報通信学会論文誌(D-II), J84-D-II(8): 1618-1627, 2001.
- 1.110. 榎本, 堀, 佐藤, 村上, 上甲, 中村, 田村: マルチスライスCT 画像からの肝臓領域自動抽出, 電子情報通信学会論文誌(D-II), J84-D-II(9): 2150-2161, 2001.
- 1.111. 四方, 北岡, 佐藤, 上甲, 中村, 田村: 肺内線状構造の空間分布評価に基づく肺結節の診断支援, 電子情報通信学会論文誌(D-II), J84-D-II(11): 2456-2467, 2001.
- 1.112. 朴, 北岡, 佐藤, 田村: 木連合グラフを利用した3次元木構造のマッチング法, 電子情報通信学会論文誌(D-II), J85-D-II(6): 1124-1136, 2002.
- 1.113. 四方, 殷, 朴, 北岡, 佐藤, 上甲, 中村, 田村: 肺の非剛体レジストレーションのための血管分岐点位置決めアルゴリズム, 電子情報通信学会論文誌(D-II), J85-D-II(10): 1613-1623, 2002.
- 1.114. 榎本, 佐藤, 堀, 村上, 上甲, 中村, 田村: 非剛体レジストレーションを適用した多時相腹部造影CT 画像からの肝臓領域自動抽出法, コンピュータ支援画像診断学会論文誌7(4), 2003.
- 1.115. 酒井, 中本, 鍵山, 佐藤, 菅野, 西井, 赤澤, 多田, 田村, 吉川: 人工股関節手術計画システムにおける形状情報に基づくインプラントの自動設置, 生体医工学(生体医工学シンポジウム2003 特集), 41(4), 475-482, 2003.
- 1.116. 渡邊, 榎本, 笹間, 佐藤, 菅野, 三木, 吉川, 越智: 人工股関節全置換術における術前術後CT画像間の剛体レジストレーションのための前処理法, *Medical Imaging Technology*, 21(5), 358-368, 2003.
- 1.117. 中田, 中本, 佐藤, 小西, 橋爪, 田村: 光磁気ハイブリッド方式による磁気式3次元位置センサの簡便迅速な磁気ひずみ補正法, 電子情報通信学会論文誌(D-II), J87-D-II(1):302-312, 2004.
- 1.118. 櫻木, 中本, 笹間, 中島, 佐藤, 田村: 異種3次元データ統合システムの構造記述と誤差解析のためのシステムシミュレータ, 電子情報通信学会論文誌(D-II), J87-D-II(1):325-338, 2004.
- 1.119. 山口, 中本, 佐藤, 橋爪, 菅野, 吉川: 斜視内視鏡のカメラモデルとキャリブレーション法の開発, 電子情報通信学会論文誌(D-II), J87-D-II(1):313-324, 2004.
- 1.120. 程, 佐藤, 田中, 中村, 田村: MR画像における近接した2薄面体の厚み計測精度の解析, *Medical Imaging Technology*, 23(4)259-268, 2005.
- 1.121. 中島, 菅野, 桃井, 小山, 山本, 笹間, 田村, 米延, 佐藤, 佐久間, 吉川, 越智, 田村: レーザガイダンスの特性解析と3次元位置センサ・一体型システムの開発, 日本コンピュータ外科学会誌, 7(1), 15-23, 2005.
- 1.122. 川崎, 伊野, 田代, 中島, 佐藤, 菅野, 田村, 萩原: 術中二次元/三次元剛体位置合せのための並列化手法, 電子情報通信学会論文誌, J88-D-I(10), 1534--1546, 2005.
- 1.123. 小西, 中本, 佐藤, 田村, 橋爪: 光磁気ハイブリッド三次元位置センサによる内視鏡外科手術ARナビゲーションシステム ~in vivo 精度検証~, 日本コンピュータ外科学会誌, 8(2): 81-87,

2006.

- 1.124. 倉爪, 中村, 岡田, **佐藤**, 菅野, 小山, 岩下, 長谷川: 2視点からの二次元X線投影像と統計的形状モデルを用いた大腿骨三次元復元, 電子情報通信学会論文誌 D, J90-D(3): 945-955, 2007.
- 1.125. 小笠原, 山崎, **佐藤**, 渡邊, 富田, 菅本, 吉川, 田村: 投影輪郭点に基づくロバスト2D/3D位置合わせによる人工膝関節の位置・姿勢推定, 電子情報通信学会論文誌 D, J90-D(11); 3033-3042, 2007.
- 1.126. 岡田, 横田, 中本, 菅野, 堀, 陳, **佐藤**: 人体臓器汎化モデリングのための形状安定化項を導入した多階層統計的形状モデル, 電子情報通信学会論文誌 D, J91-D(7); 1862-1873, 2008.
- 1.127. 鍵山, 菅野, 高尾, 中本, **佐藤**, 吉川, 赤澤, 多田: 人工股関節手術計画における3次元骨盤形状に基づくカップ自動設置計画法, 生体医工学, 46 (4), 2008. (in press)
- 1.128. 鍵山, 中本, **佐藤**, 高尾, 菅野, 吉川, 多田: 遠隔手術計画に対応した人工股関節手術計画XMLデータフォーマットの策定, 日本コンピュータ外科学会誌, 10(8), 2008. (in press)

2. 国際会議 (査読付き)

- 2.1. **Sato Y**, Tamano R, and Tamura S: Connectionist approach to 3D object recognition: Matching of parameterized models and monocular image, *Proc. IEEE Computer Society Workshop on Computer Vision*, Miami Beach, Florida, 252-254, 1987.
- 2.2. **Sato Y**, Ohya J, and Ishii K: Smoothed local generalized cones: An axial representation of 3D shapes, *Proc. IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'92)*, Champaign, Illinois, 56-62, 1992.
- 2.3. **Sato Y**, Ohya J, and Ishii K: Recovery of hierarchical part structure of 3D shape from range image, *Proc. IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'92)*, Champaign, Illinois, 699-702, 1992.
- 2.4. **Sato Y**, Kitagawa A, and Tamura S: Model-based moving 3D object recognition and motion recovery from a sequence of images, *Proc. First Asian Conference on Computer Vision (ACCV'93)*, Osaka, Japan, 512-515, 1993.
- 2.5. Tang L, Ohya M, **Sato Y**, Tamura S, Naito H, Harada H, and Kozuka T: MRI artifact correction algorithms for motion in the image plane, *Proc. First Asian Conference on Computer Vision (ACCV'93)*, Osaka, Japan, 822-825, 1993.
- 2.6. **Sato Y**, Zoroofi R.A, Chen J, Harada N, Tamura S, and Shiga T: Automatic extraction and measurement of leukocyte motion in microvessels using spatiotemporal image analysis, *Proc. IEEE Workshop on Biomedical Image Analysis*, Seattle, Washington, 134-143, 1994.
- 2.7. **Sato Y**, Chen J, Yamamoto S, Tamura S, Harada N, Shiga T, Harino S, and Oshima Y: Measuring microcirculation using spatiotemporal image analysis, *Lecture Notes in Computer Science*, 905 (*Proc. First International Conference of Computer Vision, Virtual Reality, and Robotics in Medicine (CVRMed'95)*, Nice, France), 302-308, 1995.
- 2.8. **Sato Y**, Nakajima Y, Nishii T, and Tamura S: Image guided orthopedic surgery using osteotome

with 3D localizer, *Journal of Computer Aided Surgery (Proc. Second International Symposium on Computer Aided Surgery (ISCAS'95), Tokyo, Japan), Vol.1 Supl, 26-27, 1995.*

- 2.9. **Sato Y**, Nakajima S, Atsumi H, Koller T, Gerig G, Yoshida S, and Kikinis K: 3D multi-scale line filter for segmentation and visualization of curvilinear structures in medical images, *Lecture Notes in Computer Science, 1205 (Proc. First Joint Conference of CVRMed II and MRCAS III (CVRMed-MRCAS'97), Grenoble, France), 213-222, 1997.*
- 2.10. Kai J, Shiomi H, Sasama T, **Sato,Y**, Inoue Ta, and Tamura,S: An optical high-precision 3D position measurement system suitable for head motion tracking in frameless stereostatic radiosurgery, *Computer Assisted Radiology and Surgery: 12th International Symposium and Exhibition (CAR'98), Tokyo, Japan, 599-604, 1998.*
- 2.11. Nakamoto,M, **Sato,Y**, Tamaki,Y, Sasama,T, Nakajima,Y, Sakita,I, Tamura,S, and Monden,M: An augmented reality system using 3D ultrasonic images for guidance in breast cancer surgery, *Computer Assisted Radiology and Surgery: 12th International Symposium and Exhibition (CAR'98), Tokyo, Japan, 736-741, 1998.*
- 2.12. Chen J, **Sato Y**, and Tamura S: Orientation space filtering for multiple orientation line segmentation, *Proc. IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'98), Santa Barbara, California, 311-317, 1998.*
- 2.13. Sugano N, **Sato Y**, Sasama T, Nakahodo K, Yoden S, Nishii T, Sakai T, Haraguchi, K, Tamura S, Ohzono K, and Ochi T: Combined acetabular and femoral surgical navigation in total hip arthroplasty, *Computer Assisted Radiology and Surgery: 13th International Symposium and Exhibition (CAR'99), Paris, 722-725, 1999.*
- 2.14. Sasama T, **Sato Y**, Sugano N, Nakahodo K, Yoden S, Nishii T, Ohzono K, Ochi T, and Tamura S: Accuracy evaluation in computer assisted hip surgery, *Computer Assisted Radiology and Surgery: 13th International Symposium and Exhibition (CAR'99), Paris, 772-776, 1999.*
- 2.15. **Sato Y**, Kubota T, Nakanishi K, Tanaka H, Sugano N, Nishii T, Ohzono K, Nakamura H, Ochi T, and Tamura S: Three-dimensional reconstruction and quantification of hip joint cartilages from magnetic resonance images, *Lecture Notes in Computer Science, (Proc. Second International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI'99), Cambridge, UK), 1679: 338-347, 1999.*
- 2.16. Nishihara S, Sugano N, Liu H, Ikai M, Nakahodo K, **Sato Y**, Tamura S, Ozono K, Yodenobu K, Yoshikawa H, and Ochi T: Accuracy evaluation of shape-based registration methods of a computer navigation system for total knee arthroplasty, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000), San Francisco, 197-202, 2000.*
- 2.17. Sugano N, Nishii T, Nakahodo K, Sasama T, **Sato Y**, Tamura S, Sakai KT, Haraguchi, K, Nishihara S, Ozono K, Yodenobu K, Yoshikawa H, and Ochi T: Combined acetabular and femoral navigation for resurfacing total hip arthroplasty, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000), San Francisco, 226-230, 2000.*
- 2.18. Nishii T, Sugano N, Nishihara S, **Sato Y**, Sasama T, Nakahodo K, Yoden S, Ohzono K, Yonenobu

- K, Tamura S, and Ochi T: Motion analysis after total hip arthroplasty using a combined acetabular and femoral navigation system, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000)*, San Francisco, 236-240, 2000.
- 2.19. Nakanishi K, Tanaka H, Sugano N, **Sato Y**, Tamura S, and Nakamura H: Preoperative virtual arthroscopy of the hip — Three dimensional visualization of the hyaline cartilage of both acetabulum and femoral head —, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000)*, San Francisco, 241-245, 2000.
- 2.20. Nakahodo K, Sasama T, **Sato Y**, Sugano N, Ohzono K, Nishii T, Nishihara S, Yonenobu K, Ochi T, and Tamura S: Intraoperative update of 3-D bone model during computer navigation of pelvic osteotomies using real-time 3-D position data, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000)*, San Francisco, 252-256, 2000.
- 2.21. Park Y, Kitaoka H, **Sato Y**, Tamura S, Johkoh T, and Nakamura H: 3D measurement of rib motion between inspiratory and expiratory phases, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000)*, San Francisco, 656-660, 2000.
- 2.22. Shikata H, Kitaoka H, Keserci B, **Sato Y**, Shinichi T: Quantitative evaluation of the spatial distribution of vessels surrounding pulmonary nodules, *Computer Assisted Radiology and Surgery: 14th International Symposium and Exhibition (CARS2000)*, San Francisco, 761-766, 2000.
- 2.23. **Sato Y** and Tamuras S: Detection and quantification of line and sheet structures in 3-D images, *Lecture Notes in Computer Science (Proc. Third International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2000)*, Pittsburgh, Pennsylvania), 1935: 154-165, 2000
- 2.24. Nakamoto M, **Sato Y**, Tamaki Y, Nagano H, Miyamoto M, Sasama T, Monden M, and Tamuras S: Magnet-optic hybrid 3-D sensor for surgical navigation, *Lecture Notes in Computer Science (Proc. Third International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2000)*, Pittsburgh, Pennsylvania), 1935: 839-848, 2000.
- 2.25. **Sato Y**, Sasama T, Sugano N, Nakahodo K, Nishii T, Ohzono K, Yonenobu K, Ochi T, and Tamura S: Intraoperative simulation and planning using a combined acetabular and femoral (CAF) navigation system for total hip replacement. *Lecture Notes in Computer Science (Proc. Third International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2000)*, Pittsburgh, Pennsylvania), 1935: 1114-1125, 2000.
- 2.26. **Sato Y**, Tsuchiya H, Yoden S, Tamura M, Kawamoto M, Kubo T, Fujikado T, and Tamura S: A simple method of cranial tracking for conscious human and its application to computer assisted endoscopic paranasal sinus surgery under local anesthesia, *Computer Assisted Radiology and Surgery: 15th International Symposium and Exhibition (CARS2001)*, Berlin, 124-129, 2001.
- 2.27. Sugano N, Sasama T, Nakajima Y, **Sato Y**, Nishii T, Iida T, Nakagawa, K, Ono K, Nishihara S, Tamura S, Yonenobu K, Ochi T, Effects of CT threshold value to make a surface bone model on accuracy of shape-based registration in a CT-based navigation system for hip surgery, *Computer Assisted Radiology and Surgery: 15th International Symposium and Exhibition (CARS2001)*, Berlin,

306-311, 2001.

- 2.28. **Sato Y**, Nakanishi K, Tanaka H, Sugano N, Nishii T, Nakamura H, Ochi T, and Tamura S: A fully automated method for segmentation and thickness determination of hip joint cartilages from 3D MR data, *Computer Assisted Radiology and Surgery: 15th International Symposium and Exhibition (CARS2001)*, Berlin, 338-343, 2001.
- 2.29. **Sato Y**, Nakanishi K, Tanaka H, Nishii T, Sugano N, Nakamura H, Ochi T, and Tamura S: Limits to the accuracy of 3D thickness measurement in magnetic resonance images, *Lecture Notes in Computer Science (Proc. Forth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2001)*, Utrecht, The Netherlands), 2208: 803-810, 2001.
- 2.30. **Sato Y**, Miyamoto M, Nakamoto M, Nakajima Y, Shimada M, Hashizume M, and Tamuras S, 3D ultrasound image acquisition using magneto-optic hybrid sensor for laparoscopic surgery, *Lecture Notes in Computer Science (Proc. Forth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2001)*, Utrecht, The Netherlands), 2208: 1151-1153, 2001.
- 2.31. Nakajima Y, Sasama T, **Sato Y**, Nishii T, Ishikawa T, Sugano N, Yonenobu K, Ochi T, and Tamura S: Accuracy validation of cone-beam CT based registration, *Lecture Notes in Computer Science (Proc. Forth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2001)*, Utrecht, The Netherlands), 2208: 1366-1368, 2001.
- 2.32. Zoroofi RA, Nishii T, **Sato Y**, Sugano N, Yoshikawa H, Ochi T, and Tamura S: Automated quantification of a vascular necrosis of the femoral head (ANFH) from 3D MR images, *Computer Assisted Radiology and Surgery: 16th International Symposium and Exhibition (CARS2002)*, Paris, 401-406, 2002.
- 2.33. Zoroofi RA, **Sato Y**, Borgheai B, Sasama T, Nishii T, Sugano N, Yonenobu K, Yoshikawa H, Ochi T, and Tamura S: Automated segmentation of pelvis and femur from 3-D CT images, *Computer Assisted Radiology and Surgery: 16th International Symposium and Exhibition (CARS2002)*, Paris, 413-418, 2002.
- 2.34. Sasama T, Sugano N, **Sato Y**, Momoi Y, Koyama T, Nakajima Y, Sakuma I, Fujie M, Yonenobu K, Ochi T, and Tamura S: A novel laser guidance system for alignment of linear surgical tools: Its principle and performance evaluation as a man-machine system, *Lecture Notes in Computer Science*, 2489 (*Proc. Fifth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2002) Part II*, Tokyo, Japan), 125-132, 2002.
- 2.35. Nakamoto M, **Sato Y**, Miyamoto M, Nakajima Y, Konishi K, Shimada M, Hashizume M, and Tamura S: 3D ultrasound system using a magneto-optic hybrid tracker for augmented reality visualization in laparoscopic liver surgery, *Lecture Notes in Computer Science*, 2489 (*Proc. Fifth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2002) Part II*, Tokyo, Japan), 148-155, 2002.
- 2.36. Nakajima Y, Tamura Y, **Sato Y**, Tashiro T, Sugano N, Yonenobu K, Yoshikawa H, Ochi T, and Tamura S: Preoperative analysis of optimal imaging orientation in fluoroscopy for voxel-based

2-D/3-D registration, *Lecture Notes in Computer Science*, 2489 (*Proc. Fifth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2002)* Part II, Tokyo, Japan), 485-492, 2002.

- 2.37. Masumoto J, **Sato Y**, Horii M, Murakami T, Johkoh T, Nakamura H, Tamura S: A new similarity measure for nonrigid volume registration using known joint distribution of target tissue: Application to dynamic CT data of the liver, *Lecture Notes in Computer Science*, 2489 (*Proc. Fifth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2002)* Part II, Tokyo, Japan), 493-500, 2002.
- 2.38. Ino F, Ooyama K, Kawasaki Y, Takeuchi A, Mizutania Y, Masumoto J, **Sato Y**, Sugano N, Nishii T, Miki H, Yoshikawa H, Yonenobu K, Tamura S, Ochi T and Hagihara K: A high-performance computing service over the Internet for nonrigid image registration, *Computer Assisted Radiology and Surgery: 17th International Symposium and Exhibition (CARS2003)*, London, 193-199, 2003.
- 2.39. Nakamoto M, **Sato Y**, Sugano N, Sasama T, Nishii T, Pak PS, Akazawa K, Tada Y, Yoshikawa H, and Tamura S: Automated CT-based 3D surgical planning for total hip replacement: A pilot study, *Computer Assisted Radiology and Surgery: 17th International Symposium and Exhibition (CARS2003)*, London, 389-394, 2003.
- 2.40. Nakada K, Nakamoto M, **Sato Y**, Konishi K, Hashizume M, and Tamura S: A rapid method for magnetic tracker calibration using a magneto-optic hybrid tracker, *Lecture Notes in Computer Science*, 2879 (*Proc. Sixth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2003)*, Part II, Montreal, Canada), 285-293, 2003.
- 2.41. Yamaguchi T, Nakamoto M, **Sato Y**, Nakajima Y, Konishi K, Hashizume M, Nishii T, Sugano N, Yoshikawa H, Yonenobu K, and Tamura S: Camera model and calibration procedure for obliqueviewing endoscope, *Lecture Notes in Computer Science*, 2879 (*Proc. Sixth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2003)*, Part II, Montreal, Canada), 373-381, 2003.
- 2.42. Nakajima Y, Yamamoto H, **Sato Y**, Sugano N, Momoi Y, Sasama T, Koyama T, Tamura Y, Yonenobu K, Sakuma I, Yoshikawa H, Ochi T, and Tamura S: Available range analysis of laser guidance system and its application to monolithic integration with optical tracker, *Computer Assisted Radiology and Surgery: 18th International Symposium and Exhibition (CARS2004)*, Chicago, 449-454, 2004.
- 2.43. Nakajima Y, Tashiro T, Okada T, **Sato Y**, Sugano N, Saito M, Yonenobu K, Yoshikawa H, Ochi T, and Tamura S: Computer-assisted fracture reduction of proximal femur using preoperative CT data and intraoperative fluoroscopic images, *Computer Assisted Radiology and Surgery: 18th International Symposium and Exhibition (CARS2004)*, Chicago, 620-625, 2004.
- 2.44. **Sato Y**, Yamamoto S, and Tamura S: Accurate quantification of small-diameter tubular structures in isotropic CT volume data based on multiscale line filter responses, *Lecture Notes in Computer Science*, 3216 (*Proc. Seventh International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2004)*, Part I, Saint-Malo, France), 508-515, 2004.

- 2.45. Koyama T, Sugano N, Miki H, Nishii T, **Sato Y**, Yoshikawa H, Tamura S, Ochi T: Computer-assisted minimally invasive curettage and reinforcement of femoral head osteonecrosis with a novel, expandable blade tool, *Lecture Notes in Computer Science*, 3217 (*Proc. Seventh International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2004)*, Part II, Saint-Malo, France), 169-175, 2004.
- 2.46. Kawasaki Y, Ino F, **Sato Y**, Sugano N, Yoshikawa H, Tamura S, Hagihara K: Real-time estimation of hip range of motion for total hip replacement surgery, *Lecture Notes in Computer Science*, 3217 (*Proc. Seventh International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2004)*, Part II, Saint-Malo, France), 629-636, 2004.
- 2.47. Konishi K, Hashizume M, Nakamoto M, Tanoue K, Kakeji Y, Ichiro Y, Taketomi A, Kawanaka H, Maehara Y, **Sato Y**, and Tamura S: Augmented reality navigation system for endoscopic surgery based on three-dimensional ultrasound and computed tomography: Application to 20 clinical cases, *Computer Assisted Radiology and Surgery: 19th International Symposium and Exhibition (CARS2005)*, Berlin, 537-542, 2005.
- 2.48. Koyama T, Sugano N, Nishii T, Miki H, **Sato Y**, Yoshikawa H, Tamura S: A computer-assisted curvedbladed tuck saw for spherical osteotomy, *Computer Assisted Radiology and Surgery: 19th International Symposium and Exhibition (CARS2005)*, Berlin, 702-707, 2005.
- 2.49. Yokota K, Okada T, Nakamoto M, **Sato Y**, Hori M, Masumoto J, Asaka T, Chen Y-W, Nakamura H, Tamura S: Construction of conditional statistical atlases of the liver based on spatial normalization using surrounding structures, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 1(suppl.1), 39-40, 2006.
- 2.50. Foruzan AH, Zoroofi RA, **Sato Y**, Hori M, Murakami T, Nakamura H, Tamura S: Automated segmentation of liver from 3D CT images, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 1(suppl.1), 71-73, 2006.
- 2.51. Zoroofi RA, **Sato Y**, Nishii T, Nakanishi K, Tanaka H, Sugano N, Yoshikawa H, Nakamura H, Tamura S: Automated segmentation of acetabular cartilage in CT images of the hip, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 1(suppl.1), 73-76, 2006.
- 2.52. Kagiya K, Takao M, Nakamoto M, **Sato Y**, Sugano N, Tada Y, Yoshikawa H, Tamura S, Akazawa K: Automated planning of multi-component implants for THA using multiple criteria including limb length and range of motion, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 1(suppl.1), 232-235, 2006.
- 2.53. Ogasawara M, Yamazaki T, **Sato Y**, Watanabe T, Tomita T, Sugamoto K, Yoshikawa H, Tamura S: Robust 3D pose estimation of artificial knee implants from X-ray fluoroscopic images, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka,

Japan, *International Journal of Computer Assisted Radiology and Surgery*, 1(suppl.1), 245-247, 2006.

- 2.54. Nakamoto M, Aburaya N, Kitaoka H, **Sato Y**, Konishi K, Yoshino I, Hashizume M, Tamura S: Estimation of intraoperative lung deformation for computer assisted thoracoscopic surgery, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 1(suppl.1), 273-275, 2006.
- 2.55. Nakamoto M, Hirayama H, **Sato Y**, Konishi K, Kakeji Y, Hashizume M, and Tamura S: Recovery of liver motion and deformation due to respiration using laparoscopic freehand 3D ultrasound system, *Lecture Notes in Computer Science*, 4192 (*Proc. Ninth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2006)*, Part II, Copenhagen, Denmark), 372-379, 2006.
- 2.56. Kurazume R, Nakamura K, Okada T, **Sato Y**, Sugano N, Koyama T, Iwashita Y, Hasegawa T: 3D reconstruction of a femoral shape using a parametric model and two 2D fluoroscopic images. *Proc. IEEE International Conference on Robotics and Automation (ICRA)*, Rome, Italy, 3002-3008, 2007
- 2.57. Okada T, Shimada R, **Sato Y**, Hori M, Yokota K, Nakamoto M, Chen YW, Nakamura H, and Tamura S: Automated segmentation of the liver from 3D CT images using probabilistic atlas and multi-level statistical shape model, *Lecture Notes in Computer Science*, 4791 (*Proc. Tenth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2007)*, Part I, Brisbane, Australia), 86-93, 2007.
- 2.58. Nakamoto M, Aburaya N, **Sato Y**, Konishi K, Yoshino I, Hashizume M, and Shinichi T: Thoracoscopic surgical navigation system for cancer localization in collapsed lung based on estimation of lung deformation, *Lecture Notes in Computer Science*, 4792 (*Proc. Tenth International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2007)*, Part II, Brisbane, Australia), 68-76, 2007.
- 2.59. Asaka T, Okada T, Osuga K, Hori M, Chen YW, Nakamura H, **Sato Y**: Determination of optimal guidewire shape for catheterization procedure based on vessel shape at bifurcation, *Computer Assisted Radiology and Surgery: 22th International Symposium and Exhibition (CARS2008)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 3(suppl.1), S66-S67, 2008.
- 2.60. Nakamoto M, Shiono H, Sawa Y, **Sato Y**. Registration of the trachea using skin shape matching and statistical bias correction for computer assisted mediastinoscopy, *Computer Assisted Radiology and Surgery: 22th International Symposium and Exhibition (CARS2008)*, Osaka, Japan, *International Journal of Computer Assisted Radiology and Surgery*, 3(suppl.1), S114-S116, 2008.
- 2.61. Otomaru I, Nakamoto M, Takao M, Sugano N, Kagiya Y, Yoshikawa H, Tada Y, **Sato Y**, Automated preoperative planning of femoral component for total hip arthroplasty (THA) from CT images, *Lecture Notes in Computer Science* 5128 (*Proc.forth International Workshop on Medical Imaging and Augmented Reality (MIAR 2008)*, Tokyo, Japan), 40-49, 2008.

- 2.62. Nakamoto M, Ukimura O, Gill IS, Mahadevan A, Miki T, Hashizume M, **Sato Y**: Realtime organ tracking for endoscopic augmented visualization using miniature wireless magnetic tracker, *Lecture Notes in Computer Science 5128 (Proc.forth International Workshop on Medical Imaging and Augmented Reality (MIAR 2008)*, Tokyo, Japan), 359-366, 2008.
- 2.63. Okada T, Yokota K, Hori M, Nakamoto, M, Nakamura H, **Sato Y**: Construction of hierarchical multi-organ statistical atlases and their application to multi-organ segmentation from CT images, *Lecture Notes in Computer Science 5541 (Proc. Eleventh International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2008)*, Part I, New York City), 502-509, 2008.
- 2.64. Nakamoto M, Otomaru I, Takao M, Sugano N, Kagiya Y, Yoshikawa H, Tada Y, **Sato Y**: Construction of a surgical plan atlas for automated 3D preoperative planning of femoral component in total hip arthroplasty, *Lecture Notes in Computer Science 5542 (Proc. Eleventh International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI2008)*, Part II, New York City), 718-725, 2008.

3. 学会誌等解説

- 3.1. **佐藤**: 画像処理における統計モデル利用に関する最近の動向: ロバスト推定法とMDL規準, *Medical Imaging Technology*, 12(1): 48-58, 1994.
- 3.2. **佐藤**, 白神: 三次元画像可視化の原理, *臨床放射線*, 44(13): 1629-1640, 1999.
- 3.3. **佐藤**, 笹間, 仲程, 菅野, 西井, 大園, 越智, 田村: 整形外科手術ナビゲーションの原理, *関節外科*, 18(10): 66-73, 1999.
- 3.4. **佐藤**: わかりやすい3次元画像処理の基礎: 等方ボクセルの利点について, *画像診断*, 20(5): 499-508, 2000.
- 3.5. **佐藤**, 菅野, 米延, 越智, 田村: 股関節手術におけるナビゲーションシステム, *手術*, 54(12): 1769-1775, 2000.
- 3.6. **佐藤**: 三次元画像診断: (II) 医用画像データの表示, *総合臨床*, 50(2): 354-366, 2001.
- 3.7. 田村, **佐藤**: 人工現実感手術室: 医療ナビゲーションシステム, *情報処理*, 53(5): 509-512, 2002.
- 3.8. **佐藤**, 中本, 中島, 榎本, 菅野, 橋爪, 米延, 中村, 田村: 手術支援のための画像および空間情報統合システム, *Medical Imaging Technology*, 22(2): 79-84, 2004.
- 3.9. **佐藤**: 外科手術支援システム研究の現状と将来展望, *電子情報通信学会誌*, 89(2): 144-150, 2006.
- 3.10. 清水, **佐藤**: 腹部臓器の統計アトラス構築と複数臓器セグメンテーションへの応用, *Medical Imaging Technology*, 24(3): 152-160, 2006.
- 3.11. **佐藤**: 治療支援とCAD, *Medical Imaging Technology*, 26, 2008.(in press)

4. 招待講演

- 4.1. ランチョンセミナー: **佐藤**, 「三次元画像の原理と実際」, “1) 原理”, 第58回日本医学放射線学会総会, 横浜, 1999年4月8日.
- 4.2. シンポジウム「明日を拓く外科ロボティックシステム」: **佐藤**, “ロボット手術のための医用画像処

理技術”，第8回日本コンピュータ外科学会大会，京都，1999年11月4日。

- 4.3. シンポジウムIII「21世紀におけるヘリカルCTの新しい展開」：“多次元画像解析の新しい展開”，第59回日本医学放射線学会総会，横浜，2000年4月8日。
- 4.4. シンポジウム8「先端的画像解析とロボティックシステムによる骨・関節手術」：佐藤，“関節破壊状態の三次元解析”，第44回日本リウマチ学会総会，横浜，2000年5月14日。
- 4.5. ランチョンセミナー：佐藤，“ボリュームデータのもつ情報量—等方性ボクセルの本質的利点—”，Multidetector-Row CT Symposium II，大阪，2001年5月12日。
- 4.6. 特別講演：佐藤，“Visualization and quantification of medical volume data based on 3D local intensity structures (3次元局所濃淡構造に基づく医用ボリュームデータの可視化と定量化)”，電子情報通信学会パターン認識・メディア理解/医用画像合同研究会，浜松，2001年5月17日。
- 4.7. CAS/CADM 合同シンポジウム「診断・治療支援のための画像データ整備～必要画像のネットワーク化に向けて～」：佐藤，“腹部外科手術支援のための整備”，第10回日本コンピュータ外科学会大会，福岡，2001年11月11日。
- 4.8. シンポジウム「医療におけるIT技術の展開」：佐藤，“手術支援のための医用画像解析”，電気系学会東海支部大会，豊橋，2001年11月30日。
- 4.9. シンポジウム「生体生理工学とin silico Human」：佐藤，“in silico Humanにおける医用画像解析の役割—患者固有のin silico Humanモデル構築に向けて”，第41回日本エム・イー学会大会，京都，2002年5月9日。
- 4.10. パネルディスカッション「産学協創による新医療産業への挑戦」：佐藤，“大阪大学における医用画像解析ベンチャー会社の試み”，東大情報理工第4回シンポジウム「メディカルフロンティア—産学協創の新医療産業—」，東京，2002年10月29日。
- 4.11. シンポジウム2「手術支援の新展開」：佐藤，“手術支援のための画像および空間情報統合システム”，第22回日本医用画像工学会大会，東京，2003年7月26日。
- 4.12. CAS/CADM 合同シンポジウム「ロボティクス外科の体系的開発と画像診断支援技術の連携」：佐藤，“電体新書・電脳医学大全とインシリコヒューマンロボティクス外科・画像診断支援の体系的開発に向けての枠組み”，第12回日本コンピュータ外科学会大会，名古屋，2003年12月14日。
- 4.13. シンポジウム「日本発手術ロボット開発の現状と未来」：佐藤，“手術ロボットのための医用画像解析技術：最近の進展と将来の方向”，第13回日本コンピュータ外科学会大会，東京，2004年12月11日。
- 4.14. ランチョンセミナー：佐藤，“これで納得！三次元画像解析の原理”，第10回三次元CT・MR研究会，大阪，2005年2月5日。
- 4.15. 第36回応用物理学会スクールA「最先端医療を支えるテクノロジーの現状と今後の展開」：佐藤，“医用画像解析による診断・治療の効率化と高精度化”，第52回応用物理学関係連合講演会，埼玉，2005年3月20日。
- 4.16. Invited lecture: Sato Y, “Medical image analysis for computer assisted surgery”, *Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2006)*, Osaka, Japan, June 30, 2006.
- 4.17. シンポジウム「コンピュータ外科手術における情報処理 安全・確実な未来型精密治療のため

に」：佐藤，“手術誘導のためのナビゲーション画像”，第5回情報科学技術科学フォーラム(FIT 2006)，福岡，2006年9月7日。

- 4.18. シンポジウム(1)「三次元画像とナビゲーション」：佐藤，“内視鏡手術ナビゲーションのための拡張現実感表示”，第17回医用デジタル動画像研究会，大阪，2006年9月30日。
- 4.19. ランチョンセミナー：佐藤，“工学的見地から見るナビゲーションの精度について”，第1回CAOS研究会，大阪，2007年3月17日。
- 4.20. Invited lecture: **Sato Y**，“Atlas-based segmentation and automated surgical planning”，*Asian Conference on Computer Aided Surgery (ACCAS 2007)*，Singapore，December 1，2007。
- 4.21. Invited lecture: **Sato Y**，“Medical image analysis for computer assisted surgery”，*Computer Assisted Radiology and Surgery: 20th International Symposium and Exhibition (CARS2008)*，Barcelona，Spain，June 28，2008。
- 4.22. Keynote lecture: **Sato Y**，“Intraoperative recovery of organ motion and deformation for endoscopic surgical navigation”，4th *Workshop on Augmented environments for Medical Imaging including Augmented Reality in Computer-aided Surgery (AMI-ARCS 2008)*，New York City，September 10，2008。

5. 著書，訳書，編書

- 5.1. NTT ヒューマンインタフェース研究所プロジェクトRVT (佐藤嘉，荒川，上田，金子，倉掛，佐藤敦，志沢，尺長，高橋，前田，間瀬，森本，代表訳者：佐藤嘉)：ロボットビジョン— 機械は世界をどう見るか—，朝倉書店，1993 (“Horn B.K.P: *Robot Vision*，MIT Press，Cambridge，Massachusetts，USA，1986”の全訳)。
- 5.2. **Sato Y**，Moriyama M，Ueguchi T，Hanayama M，Naito H，Tamura S: Techniques for the accurate recovery of time varying 3D shapes in medical imaging，In Leondes CT (ed.) *Computational Methods in Biophysics, Biomaterials, Biotechnology and Medical Systems*，Vol. 4，*Diagnostic Methods*，Kluwer Academic Publishers，Norwell，Massachusetts，USA，247-265，2002。
- 5.3. **Sato Y**: Hessian-based multiscale enhancement，description，and quantification of second-order 3D local structures from medical volume data，In Suri J，Wilson D，and Laxminarayan S (eds.) *Handbook of Medical Image Analysis*，Vol. II，*Segmentation Models Part B*，Kluwer Academic Publishers，New York，USA，531-589，2005。

6. 特許

- 6.1. 榎本潤，堀雅俊，佐藤嘉伸，村上卓道，上甲剛，中村仁信，田村進一：医療用画像の領域抽出方法，特開2002-345807 (P2002-345807A)
- 6.2. 桃井康行，越智隆弘，米延策雄，菅野伸彦，佐藤嘉伸，中島義和，土肥健純，佐久間一郎：ツール位置提示システム及びこれを利用したツール位置設定方法、並びに、そのためのツール，特願2002-061515，特開2003-260064
- 6.3. 榎本潤，堀雅俊，佐藤嘉伸，村上卓道，上甲剛，中村仁信，田村進一：Region extracting method for medical image，特願10/151,030 (出願国: 米国)

- 6.4. 鮫島誠, 古結義浩, 米延策雄, 菅野伸彦, 田村進一, **佐藤嘉伸**, 中島義和, 骨折整復誘導装置及びその方法, 特願2002-147185
- 6.5. 山口鉄蔵, 中本将彦, 中島義和, **佐藤嘉伸**, 橋爪誠, 田村進一, 菅野伸彦: 斜視内視鏡用画像処理システムおよびこれを備えた斜視内視鏡装置, 特願2002-344394
- 6.6. 山口鉄蔵, 中本将彦, 中島義和, **佐藤嘉伸**, 橋爪誠, 田村進一, 菅野伸彦: 斜視内視鏡用投影モデルのパラメータ推定方法, 特願2002-344395
- 6.7. 桃井康行, 杉浦円, 越智隆弘, 米延策雄, 菅野伸彦, **佐藤嘉伸**, 中島義和, 土肥健純, 佐久間一郎: 位置提示機能一体型位置計測装置, 特願2003-196181 (出願国: 日本、米国、カナダ、欧州)
- 6.8. **佐藤嘉伸**, 菅野伸彦, 中本将彦, 上甲剛: 形態評価と機能評価の最適バランスに基づくインプラント三次元手術計画システム, 特願2005-87244

以上 .